
ENDLESS
CONFIGURATIONS

Guidelines for Assembling Unique Lighting Configurations



INDIVIDUAL DESIGN

Perfect for public and shared spaces with open, adaptable layouts.




DESIGN 1 7

Size 25′ x 24′




DESIGN 2 8

Size 23′ x 20′




DESIGN 3 9

Size 52′ x 23′




DESIGN 4 10

Size 8′ x 15′




DESIGN 5 11

Size 28′ x 19′




DESIGN 6 12

Size 31′ x 12′



DESIGN 7 13

Size 49′ x 17′



DESIGN 8 14

Size 36′ x 31′




HEXAGON DESIGN

Ideal for spaces of any size, with a focus on modular expandability.




HEXAGON DESIGN 1 15



HEXAGON DESIGN 2 16



HEXAGON DESIGN 3 17



HEXAGON DESIGN 4 18



HEXAGON DESIGN 5 19



HEXAGON DESIGN 6 20




HEXAGON DESIGN 7 21



HEXAGON DESIGN 8 22



HEXAGON DESIGN 9 23




HEXAGON DESIGN 10 24



MULTI-DESIGN

Designs that integrate acoustic panels, offering both sound control and enhanced aesthetic appeal.




ROOM 1 25

Size 25′ x 14′




ROOM 2 26

Size 30′ x 19′



FRAME 1 27

Size 12′ x 4′




FRAME 2 28

Size 10′ x 5′




FRAME 3 29

Size 8′ x 3′




FRAME 4 30

Size 10′ x 5′



FRAME 5 31

Size 8′ x 3′



FRAME 6 32

Size 21′ x 7′

DESIGN CONSIDERATIONS

All quotes require factory approval of drawings.

Modules may be combined to optimize the number of suspension cables and connection points, resulting in a simplified installation.

The overall span of a configuration can vary due to cumulative variances of ±1/8" per module.

Indirect lighting is available only along the straight sections of the hubs.

Emergency sections utilize remote drivers.

The maximum downlight output for a black finish is 500 lumens.

The minimum recommended suspension height is 1ft from the ceiling to the top of the fixture.

For unique design requests, please consult the factory.

8 MODULES



Module: Corner Hub 120°
Dimensions: 33”L x 20”W



Module: Corner Hub 90°
Dimensions: 23”L x 23”W




Module: Y Hub 120°
Dimensions: 38”L x 33”W



Module: Straight
Dimensions: 2ft – 12ft Lengths




Module: Right Hub 90°
Dimensions: 44”L x 23”W



Module: Left Hub 90°
Dimensions: 44”L x 23”W





Module: Right Hub 120°
Dimensions: 38”L x 20”W



Module: Left Hub 120°
Dimensions: 38”L x 20”W

FIXTURE
CROSS SECTION





PLAN VIEW

Total Linear Length: 192.5ft


DESIGN 1

Recommended Settings: Open Plan Office, Fitness Gym, Cafeterias

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC90N	90° End caps not required-Direct	MID	27
EN1PL02M	2ft Middle section-Direct	MID	11
EN1PL04M	4ft Middle section-Direct	MID	7
EN1PL06M	6ft Middle section-Direct	MID	1
EN1PL08M	8ft Middle section-Direct	MID	2
EN1PL10M	10ft Middle section-Direct	MID	1
EN1PL12M	12ft Middle section-Direct	MID	1
EN1PL02E	2ft End section-Direct	END	2

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 130ft


DESIGN 2

Recommended Settings: Shopping Centres, Lobby, Restaurant

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12A	120° A c/w end cap Direct	END	4
EN1PC12B	120° B c/w end cap Direct	END	3
EN1PC12N	120° End caps not required Direct	MID	16
EN1PY12C	120° C c/w end cap Direct	END	1
EN1PY12N	120° End caps not required Direct	MID	2
EN1PL12N	120° End caps not required Direct	MID	1
EN1PL12B	120° B c/w end cap Direct	END	1
EN1PL12C	120° C c/w end cap Direct	END	1
EN1PR12N	120° End caps not required Direct	MID	1
EN1PR12C	120° C c/w end cap Direct	MID	1
EN1PR90N	90° End caps not required Direct	MID	1
EN1PR90B	90° B c/w end cap Direct	END	1

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 256ft


DESIGN 3

Recommended Settings: Atrium, Lobby, Restaurant

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12N	120° End caps not required Direct	MID	18
EN1PL04M	4ft Middle section Direct	MID	5
EN1PY12B	120° B c/w end cap Direct	END	2
EN1PC12B	120° B c/w end cap Direct	END	3
EN1PR12C	120° C c/w end cap Direct	END	1
EN1PL12N	120° End caps not required Direct	MID	6
EN1PY12N	120° End caps not required Direct	MID	6
EN1PC12A	120° A c/w end cap Direct	END	6
EN1PY12B	120° B c/w end cap Direct	END	4
EN1PC90N	90° End caps not required Direct	MID	3
EN1PY12C	120° C c/w end cap Direct	END	4
EN1PC90A	90° A c/w end cap Direct	END	3
EN1PL08M	8ft Middle section Direct	MID	1
EN1PL90N	90° End caps not required Direct	MID	1

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 36.5ft


DESIGN 4

Recommended Settings: Small office, Workstation, Seating Area

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PR12C	120° C c/w end cap Direct	END	1
EN1PL02M	2ft Middle section Direct	MID	3
EN1PC90N	90° End caps not required Direct	MID	2
EN1PR12B	120° B c/w end cap Direct	END	2
EN1PL03M	[Custom] Consult factory for details	MID	1
EN1PY12B	120° B c/w end cap Direct	END	1

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 86.5ft


DESIGN 5

Recommended Settings: Exhibition Halls, Art Gallery, Open Plan Office

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PL12N	120° End caps not required Direct	MID	1
EN1PC12N	120° End caps not required Direct	MID	3
EN1PR12N	120° End caps not required Direct	MID	3
EN1PL08E	8ft End section Direct	END	1
EN1PL02E	2ft End section Direct	END	1
EN1PL02M	2ft Middle section Direct	MID	4
EN1PL04E	4ft End section Direct	END	2
EN1PL12C	120° C c/w end cap Direct	END	4
EN1PR12C	120° C c/w end cap Direct	END	2

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 108ft


DESIGN 6

Recommended Settings: Fitness Gym, Open Plan Office, Conference Room

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12N	120° End caps not required Direct	MID	4
EN1PC12N	[Custom] Consult factory for details	MID	3
EN1PC12A	120° A c/w end cap Direct	END	1
EN1PC12A	[Custom] Consult factory for details	END	2
EN1PC12B	[Custom] Consult factory for details	END	2
EN1PY12N	120° End caps not required Direct	MID	1
EN1PY12N	[Custom] Consult factory for details	MID	4
EN1PY12A	120° A c/w end cap Direct	END	2
EN1PY12A	[Custom] Consult factory for details	END	3
EN1PY12BC	120° B,C c/w end cap Direct	END	1
EN1PY12BC	[Custom] Consult factory for details	END	1

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 326ft


DESIGN 7

Recommended Settings: Fitness Gym, Showroom, Open Plan Office

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12N	120° End caps not required Direct	MID	24
EN1PY12N	120° End caps not required Direct	MID	44

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 85ft


DESIGN 8

Recommended Settings: Exhibition Halls, Art Gallery, Open Plan Office

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PY12N	120° End caps not required Direct	MID	4
EN1PL05E	[Custom] Consult factory for details	END	6
EN1PL11M	[Custom] Consult factory for details	MID	3

Available for Both Direct and Indirect Lighting




PLAN VIEW

HEXAGON DESIGN 1

Hex Diameter	H	L	E
3FT	65″-1/8	66″-1/4	12″-3/8
4FT	86″-1/8	87″	18″-3/8
5FT	107″-1/4	107″-3/4	24″-3/8
6FT	128″-1/4	128″-1/2	30″-3/8
7FT	149″-1/4	149″-1/4	36″-3/8

Available for Both Direct and Indirect Lighting




PLAN VIEW

HEXAGON DESIGN 2

Hex Diameter	H	L	E
3FT	37"-1/8	98"-3/4	12"-3/8
4FT	49"-1/8	129"-3/4	18"-3/8
5FT	61"-1/8	160"-3/4	24"-3/8
6FT	73"-1/4	191"-3/4	30"-3/8
7FT	85"-1/4	222"-3/4	36"-3/8

Available for Both Direct and Indirect Lighting




PLAN VIEW

HEXAGON DESIGN 3

Hex Diameter	H	L	E
3FT	50″	93″-1/4	12″-3/8
4FT	65″-3/4	123″-1/4	18″-3/8
5FT	81″-1/2	153″-1/4	24″-3/8
6FT	97″-1/4	183″-1/4	30″-3/8
7FT	113″	213″-1/4	36″-3/8

Available for Both Direct and Indirect Lighting




PLAN VIEW

HEXAGON DESIGN 4

Hex Diameter	H	L	E
3FT	37"-1/4	131	12"-3/8
4FT	49"-1/4	171"-1/4	18"-3/8
5FT	61"-1/8	211"-1/2	24"-3/8
6FT	73"-1/8	251"-3/4	30"-3/8
7FT	85"-1/4	292"-1/4	36"-3/8

Available for Both Direct and Indirect Lighting




PLAN VIEW

HEXAGON DESIGN 5

Hex Diameter	H	L	E
3FT	66"-1/4	93"-1/4	12"-3/8
4FT	87"	123"-1/8	18"-3/8
5FT	107"-3/4	152"-3/4	24"-3/8
6FT	128"-1/2	182."-1/2	30"-3/8
7FT	149"-1/4	212"-1/4	36"-3/8

Available for Both Direct and Indirect Lighting




PLAN VIEW

HEXAGON DESIGN 6

Hex Diameter	H	L	E
3FT	50″	121″-1/4	12″-3/8
4FT	65″-3/4	160″-1/4	18″-3/8
5FT	81″-1/2	199″-1/4	24″-3/8
6FT	97″-1/4	238″-1/4	30″-3/8
7FT	113″	277″-1/4	36″-3/8

Available for Both Direct and Indirect Lighting




PLAN VIEW

HEXAGON DESIGN 7

Hex Diameter	H	L	E
3FT	82″-1/2	93″-1/4	12″-3/8
4FT	108″-1/2	123″-1/4	18″-3/8
5FT	134″-1/2	153″-1/4	24″-3/8
6FT	160″-1/2	183″-1/4	30″-3/8
7FT	186″-1/2	213″-1/4	36″-3/8


Available for Both Direct and Indirect Lighting



HEXAGON DESIGN 8

Hex Diameter	H	L	E
3FT	93"-1/16	66"-1/8	12"- 5/16
4FT	123"-1/16	86"-7/8	18"-5/16
5FT	153"-1/16	107"-11/16	24"-5/16
6FT	183"-1/16	128"-7/16	30"-5/16
7FT	213 1/16	149 1/4	36"-5/16

Available for Both Direct and Indirect Lighting



PLAN VIEW


HEXAGON DESIGN 9

Recommended Settings: Boardroom, Retail Kiosk, Workstation

CUSTOM PART

Please consult with the factory for details.

Available for Both Direct and Indirect Lighting



PLAN VIEW

HEXAGON DESIGN 10

Recommended Settings: Boardroom, Retail Kiosk, Workstation

CUSTOM PART


Please consult with the factory for details.

Available for Both Direct and Indirect Lighting

DESIGN 7 - ROOM 1

FRAME 1~4


Recommended Settings: Restaurant, Library, Conference Room




DESIGN 7 - ROOM 2

FRAME 5~6

Recommended Settings: Lecture Hall, Theatres, Airports





PLAN VIEW

Total Linear Length: 30ft


DESIGN 7 - FRAME 1

Recommended Settings: Boardroom, Study Areas, Bar Counter

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12N	120° End caps not required Direct	MID	5
EN1PC12A	120° A c/w end cap Direct	END	1
EN1PC12B	120° B c/w end cap Direct	END	1
EN1PY12B	120° B c/w end cap Direct	END	1

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 19ft


DESIGN 7 - FRAME 2

Recommended Settings: Restaurant, Boardroom, Meeting Room

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12N	120° End caps not required Direct	MID	2
EN1PC12A	120° A c/w end cap Direct	END	2
EN1PL05M	[Custom] Consult factory for details	MID	1

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 21ft


DESIGN 7 - FRAME 3

Recommended Settings: Reception, Quiet Room, Study Area

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12N	120° End caps not required Direct	MID	4
EN1PC12A	120° A c/w end cap Direct	END	2

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 28ft


DESIGN 7 - FRAME 4

Recommended Settings: Library Reading Area, Lobby Seating Area

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12N	120° End caps not required Direct	MID	6
EN1PC12A	120° A c/w end cap Direct	END	2

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 21ft


DESIGN 7 - FRAME 5

Recommended Settings: Multimedia Room, Waiting Room, Nurse's Station

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12N	120° End caps not required Direct	MID	4
EN1PC12A	120° A c/w end cap Direct	END	2

Available for Both Direct and Indirect Lighting



PLAN VIEW

Total Linear Length: 64ft

DESIGN 7 - FRAME 6

Recommended Settings: Library, Lecture Hall, Waiting Area

BILL OF MATERIALS

Model #	Description	Type	Qty
EN1PC12N	120° End caps not required Direct	MID	10
EN1PC12A	120° A c/w end cap Direct	END	3
EN1PY12A	120° A c/w end cap Direct	END	1
EN1PL12N	120° End caps not required Direct	MID	1
EN1PL03M	[Custom] Consult factory for details	MID	1
EN1PL05M	[Custom] Consult factory for details	MID	1

Available for Both Direct and Indirect Lighting