


Bellows Ring - Dimensional Diagrams









BELLOWS RING DIMENSIONS			
Nominal Size	∅ O.D. (Actual Outer Diameter)	∅ I.D. (Actual Inner Diameter)	Number of Suspensions
2FT	26 1/2" [673mm]	20 3/4" [528mm]	3
3FT	37 7/8" [962mm]	32 1/4" [819mm]	3
4FT	49 13/16" [1265mm]	44 3/16" [1122mm]	3
5FT	61 7/8" [1572mm]	56 3/16" [1427mm]	3
6FT	73 7/8" [1877mm]	68 3/16" [1732mm]	3
7FT	85 3/4" [2179mm]	80 1/16" [2033mm]	6


©2026 Beta-Calco Inc. Specifications are subject to change without notice

Bellows Ring - Dimensional Diagrams

SS2-HUB (REMOTE DRIVERS)








BELLOWS RING DIMENSIONS			
Nominal Size	∅ O.D. (Actual Outer Diameter)	∅ I.D. (Actual Inner Diameter)	Number of Suspensions
2FT	26 1/2" [673mm]	20 3/4" [528mm]	3
3FT	37 7/8" [962mm]	32 1/4" [819mm]	3
4FT	49 13/16" [1265mm]	44 3/16" [1122mm]	3
5FT	61 7/8" [1572mm]	56 3/16" [1427mm]	3
6FT	73 7/8" [1877mm]	68 3/16" [1732mm]	3
7FT	85 3/4" [2179mm]	80 1/16" [2033mm]	6


©2026 Beta-Calco Inc. Specifications are subject to change without notice


Bellows Ring - Dimensional Diagrams

SS3-HUB (INTEGRAL DRIVERS)



INTEGRAL DRIVER - 2' DIAMETERS (SS3)






BELLOWS RING DIMENSIONS			
Nominal Size	∅ O.D. (Actual Outer Diameter)	∅ I.D. (Actual Inner Diameter)	Number of Suspensions
2FT	26 1/2" [673mm]	20 3/4" [528mm]	3
3FT	37 7/8" [962mm]	32 1/4" [819mm]	3
4FT	49 13/16" [1265mm]	44 3/16" [1122mm]	3
5FT	61 7/8" [1572mm]	56 3/16" [1427mm]	3
6FT	73 7/8" [1877mm]	68 3/16" [1732mm]	3
7FT	85 3/4" [2179mm]	80 1/16" [2033mm]	6


©2026 Beta-Calco Inc. Specifications are subject to change without notice


Bellows Ring - Dimensional Diagrams

SS3-HUB (INTEGRAL DRIVERS)



INTEGRAL DRIVER - 3' TO 7' DIAMETERS (SS3)






BELLOWS RING DIMENSIONS			
Nominal Size	∅ O.D. (Actual Outer Diameter)	∅ I.D. (Actual Inner Diameter)	Number of Suspensions
2FT	26 1/2" [673mm]	20 3/4" [528mm]	3
3FT	37 7/8" [962mm]	32 1/4" [819mm]	3
4FT	49 13/16" [1265mm]	44 3/16" [1122mm]	3
5FT	61 7/8" [1572mm]	56 3/16" [1427mm]	3
6FT	73 7/8" [1877mm]	68 3/16" [1732mm]	3
7FT	85 3/4" [2179mm]	80 1/16" [2033mm]	6

©2026 Beta-Calco Inc. Specifications are subject to change without notice

Bellows Ring - Dimensional Diagrams



BELLOWS RING DIMENSIONS		
Nominal Size	∅ O.D. (Actual Outer Diameter)	∅ I.D. (Actual Inner Diameter)
2FT	26 1/2" [673mm]	20 3/4" [528mm]
3FT	37 7/8" [962mm]	32 1/4" [819mm]
4FT	49 13/16" [1265mm]	44 3/16" [1122mm]
5FT	61 7/8" [1572mm]	56 3/16" [1427mm]
6FT	73 7/8" [1877mm]	68 3/16" [1732mm]
7FT	85 3/4" [2179mm]	80 1/16" [2033mm]

©2026 Beta-Calco Inc. Specifications are subject to change without notice