



GENERAL SPECIFICATION

Body: Aluminum.

Finish: Powder coated.

Suspension: Stainless steel cables.

Power cable: Silver braided.

Drivers: HPF electronic drivers for 120-277V (EU-240V), 0-10V, 1% dimming.

Remote Mounting Of Drivers: Wire size 18 AWG - max distance (from fixture to drivers) 40', wire size 16 AWG - max distance 60', wire size 14 AWG - max distance 90'. Drivers must be accessible after installation.

Mechanical: Luminaires mount directly over J box (by others - North America only).

Diffusers: Frosted Polycarbonate.


L70 @25deg C: > 50,000 hrs.

Delivered Lumens: Delivered lumens & LPW based on 3000K (min 80 CRI) for White LEDs only.


MOUNTING & OPTICS




Suspended Direct




Suspended Direct/Indirect




98 3105




98 3110




98 3120




98 3130




98 3140




98 3005




98 3010




98 3020



98 3030



98 3040



98 3040

HOW TO ORDER

A SPECIFY LUMINAIRE

Code:	Size (A):	Light Direction:	Power (LED):	Delivered lms:	LPW:
98 3005	610mm/24"	Direct	26W	3131	120
98 3010	889mm/35"	Direct	39W	4689	120
98 3020	1168mm/46"	Direct	51W	6225	122
98 3030	1575mm/62"	Direct	70W	8574	122
98 3040	1854mm/73"	Direct	83W	10102	122
98 3105	610mm/24"	Direct/Indirect	52W	6467	124
98 3110	889mm/35"	Direct/Indirect	77W	9685	126
98 3120	1168mm/46"	Direct/Indirect	102W	12858	126
98 3130	1575mm/62"	Direct/Indirect	141W	17709	126
98 3140	1854mm/73"	Direct/Indirect	166W	20866	126

B SPECIFY CCT/COLOR (DIRECT)

D30	3000K (min 80 CRI)
D35	3500K (min 80 CRI)
D40	4000K (min 80 CRI)
DRD	Red
DGN	Green
DBL	Blue

C SPECIFY CCT/COLOR (INDIRECT)

N30	3000K (min 80 CRI)
N35	3500K (min 80 CRI)
N40	4000K (min 80 CRI)
NRD	Red
NGN	Green
NBL	Blue

D SPECIFY SUSPENSION

S1	Vertical, Remote Driver
S3	Vertical, Integral Driver
S5	Integral Driver

E SPECIFY FINISH


BL	Black
MS	Metallic Silver
WH	White
Z1	Wood Grain - Light Cherry
Z2	Wood Grain - Dark Walnut

EXAMPLE SPECIFICATION CODE


983105/D35/N35/S1/WH

DIMENSIONAL DIAGRAMS


S1 VERTICAL - REMOTE DRIVER



S3 VERTICAL - INTEGRAL DRIVER



S5 - INTEGRAL DRIVER



APPROVALS

