


MICRO SQUIGGLE™ SHORT SPECIFICATION SHEET



Fixture Type	Fixture Code	Ougntities
rixture Type	rixture code	Quantities

HOW TO ORDER

1. LUMINAIRE

MQUG Pendant

2. DIRECTION

DT1 Direct DT2 Direct/Indirect

3. SECTION TYPES

SCA16 Curve 16"SCA30 Curve 30"SCA42 Curve 42"SCA48 Curve 48"SCA54 Curve 54"SCA72 Curve 72"SCB28 Straight 28"SCB36 Straight 36"SCB47 Straight 47"SCB72 Straight 72"SCB95 Straight 95"SCC01 Cross Section

SCD01 Corner SectionSCE01 T SectionCST01 Custom Shape Required

Select from one of the sections.

Each section is to be ordered as a separate line item.

4. END CAP

ENCOO Not required **ENC__** End Cap

5. LUMENS (DIRECT)

LPF017 175 lm/ft **LPF026** 260 lm/ft **LPF035** 350 lm/ft

6. LUMENS (INDIRECT)

LPG000 Not required **LPG017** 175 lm/ft **LPG026** 260 lm/ft **LPG035** 350 lm/ft

7. CRI

CR80 CRI 80+ CR90 CRI 90+

8. CCT (DIRECT)

CTA30 3000K **CTA35** 3500K **CTA40** 4000K CTA27 2700K

9. CCT (INDIRECT)

CTB00 Not required CTB27 2700K **CTB30** 3000K **CTB35** 3500K

CTB40 4000K

10. VOLTAGE

V1 120/277V V2 240V 1 **V3** 347V ² V4 Low Voltage 3

11. DIMMING

DA01 0-10V Dimming 1.0% **DA02** 0-10V Dimming 0.1% ¹ DA20 DALI Dimming 0.1% 1 DA21 DALI Dimming 1.0% 1

DA45 PoE ³

12. SUSPENSION

\$\$3 Vertical, Integral driver SS1 Vertical, Remote driver

13. FIXTURE FINISH

FA01 White FA02 Black Metallic - Textured FA20 Silver Metallic - Textured FA25 Gold Metallic - Textured FA47 Bronze Metallic - Textured

FA44 Midnight Blue Metallic -FA46 Charcoal Metallic -FA45 Copper Metallic

Textured Textured

FA52 Champagne Metallic

CF52 Champagne Metallic

14. CANOPY FINISH

CF01 White CF20 Silver Metallic - Textured CF25 Gold Metallic - Textured CF02 Black Metallic - Textured

CF44 Midnight Blue Metallic -CF45 Copper Metallic CF46 Charcoal Metallic -CF47 Bronze Metallic - Textured

Textured Textured

betacalco.com | +1 416-531-9942 | sales@betacalco.com © 2025 Beta-Calco Inc. Specifications are subject to change without notice

¹ Not available in North American.

² Only available with DA01 dimming.

³ Only available with DA45 dimming.

¹ Not available with V3.

² Not available in North America.

³ Available with V4 only.



15. EMERGENCY SECTIONS

E0 Not required **E2** Emergency system - Remote ¹

¹ Consult factory.

Note: a drawing will be required at time of ordering to determine the required location of the emergency sections.

16. CIRCUITS

CS1 Single circuit CS2 Dual circuit