


ACOUSTIC CIRCLES™ FULL SPECIFICATION SHEET



Fixture Type	Fixture Code	Quantities

1 DESCRIPTION

These **ACOUSTIC** panels are non-illuminated and are designed to help absorb the sounds associated with exposed concrete floors, unfinished ceilings, low ceilings, and large windows. The use of these panels helps the overall well-being of those impacted by their environment. Used in conjunction with the fixtures we offer with acoustic panels to create a statement within any space.

2 OPTICS & FEATURES



3 GENERAL SPECIFICATION

NRC RATING

0.80

ASTM E84-2018 Class A.

MATERIAL

100% recycled polyester fiber (PET).

SEISMIC BRACING

Seismic bracing kits are available to meet compliance requirements. Consult the factory for details.

THICKNESS

FIRE RATING

12mm (0.5")

ACOUSTIC PANEL MAINTENANCE

Durable and easy to maintain. Dust regularly and clean marks with mild detergent, rinse, and blot.

4 DESIGN OPTIONS

TRIM FINISH



ACOUSTIC PANEL COLOR



Other finishes available. Contact factory.

5 HOW TO ORDER

1. DIAMETER

TRIC1P02 24" TRIC1P03 36" TRIC1P04 48"

Volume Discounts are available on all acoustic products, contact the factory for a quote

2. TRIM DEPTH

TRIM1 Trim - 1" **TRIM2** Trim - 2" **TRIM4** Trim - 4"

3. TRIM FINISH

FA01 White FA02 Black Metallic - Textured FA20 Silver Metallic - Textured FA25 Gold Metallic - Textured

FA27 Wood grain - Light Cherry FA28 Wood grain - Dark Walnut FA44 Midnight Bue Metallic - FA45 Copper Metallic

Textured

FA46 Charcoal Metallic - FA47 Bronze Metallic - Textured FA52 Champagne Metallic - FA53 Red Metallic - Textured

Textured

4. ACOUSTIC PANEL COLOR

AP02 CitrusAP04 WhiteAP08 Red CoffeeAP11 Light GrayAP13 Apple GreenAP22 BlueAP26 Sesame GrayAP27 BlackAP47 Navy PeonyAP60 Pure RedAP73 CloudburstAP89 Douglas Fir

APW01 Oak

Other finishes available. Contact factory.

5. SUSPENSION

\$1 Vertical mount

TECHNICAL DATA

DIAMETER

Volume Discounts are available on all acoustic products, contact the factory for a quote

Code TRIC1P02 TRIC1P03 TRIC1P04

Diameter 24" 36" 48"