





# ACOUSTIC CIRCLES™

## FULL SPECIFICATION SHEET



FIXTURE TYPE



FIXTURE CODE



QUANTITIES

### 1 DESCRIPTION

These **ACOUSTIC** panels are non-illuminated and are designed to help absorb the sounds associated with exposed concrete floors, unfinished ceilings, low ceilings, and large windows. The use of these panels helps the overall well-being of those impacted by their environment. Used in conjunction with the fixtures we offer with acoustic panels to create a statement within any space.

### 2 OPTICS & FEATURES



Acoustic

### 3 GENERAL SPECIFICATION

#### NRC RATING

0.80

#### FIRE RATING

ASTM E84-2018 Class A.

#### MATERIAL

100% recycled polyester fiber (PET).

#### THICKNESS

12mm (0.5")

#### SEISMIC BRACING

Seismic bracing kits are available to meet compliance requirements. Consult the factory for details.

#### ACOUSTIC PANEL MAINTENANCE

Durable and easy to maintain. Dust regularly and clean marks with mild detergent, rinse, and blot.

**SUSTAINABILITY**

Designed for on-site LED board, driver, and optic replacement.  
Contact the factory for maintenance documentation.

**4 DESIGN OPTIONS**

**TRIM FINISH**



<sup>1</sup> Wood grain finishes may incur longer lead times and setup charges. Consult factory for details.

**ACOUSTIC PANEL COLOR**



Other finishes available. Contact factory.

