




# ACOUSTIC TRIANGLES™

## FULL SPECIFICATION SHEET



FIXTURE TYPE



FIXTURE CODE



QUANTITIES

### 1 DESCRIPTION

These **ACOUSTIC** panels are non illuminated and are designed to help absorb the sounds associated with exposed concrete floors, unfinished ceilings, low ceilings and large windows. The use of these panels helps the overall well being of those impacted by their environment. Used in conjunction with the fixtures we offer with acoustic panels to create a statement within any space.

### 2 OPTICS & FEATURES



Acoustic

### 3 GENERAL SPECIFICATION

#### NRC RATING

0.80

#### FIRE RATING

ASTM E84-2018 Class A.

#### MATERIAL

100% recycled polyester fiber (PET).

#### THICKNESS

12mm (0.5")

#### SEISMIC BRACING

Seismic bracing kits are available to meet compliance requirements. Consult the factory for details.

#### ACOUSTIC PANEL MAINTENANCE

Durable and easy to maintain. Dust regularly and clean marks with mild detergent, rinse, and blot.


**SUSTAINABILITY**

Designed for on-site LED board, driver, and optic replacement.

Contact the factory for maintenance documentation.

**4** DESIGN OPTIONS

**TRIM FINISH**



<sup>1</sup> Wood grain finishes may incur longer lead times and setup charges. Consult factory for details.

**ACOUSTIC PANEL COLOR**



Other finishes available. Contact factory.

