

BOGGLE™ - CEILING



Project Name:

Fixture Type:

Fixture Code:

Quantities:

A. LUMINAIRE

BGGC1C Direct

One power cord for every 50 linear feet.

B. LENGTH OF RUN

SFA_ _ _ _

Length of run is 2, 4, 6, 8, 10 or 12 feet only, not available as a continuous run.

C. LENGTH

SL02 2ft ¹

SL04 4ft

SL06 6ft

SL08 8ft

SL10 10ft

SL12 12ft

¹ Consult factory if a 2ft length is required.

D. BAFFLE

BL1 White Baffle (Gloss)

BL2 Black Baffle (Gloss)

BL3 White Baffle (Matte)

BL4 Black Baffle (Matte)

Data shown based on max values. Consult Performance Data download for more details.

E. LM/FT

LPF020 200 lm/ft

LPF040 400 lm/ft

LPF060 600 lm/ft

LPF080 800 lm/ft

LPF100 1000 lm/ft

F. CRI

CR90 CRI 90+

G. CCT

CTA30 3000K

CTA35 3500K

CTA40 4000K

CTA60 Tunable White ¹

¹ Tunable White is available with 0-10V dimming options only. Consult factory for details.

H. VOLTAGE

V1 120/277V

V2 240V ¹

V3 347V ²

V4 Low Voltage ³

¹ Not available in North America.

² Only available with DA01 dimming.

³ Only available with DA45 dimming.



BOGGLE™ - CEILING

I. DIMMING

DA01 0-10V Dimming 1.0%

DA02 0-10V Dimming 0.1%¹

DA20 DALI Dimming 0.1%¹

DA21 DALI Dimming 1.0%¹

DA30 DSI/switchDim²

DA45 PoE³

¹ Not available with V3. DALI dimming (DA20 & DA21) not available with CTA60 (Tunable white).

² Not available in North America. Not available with CTA60 (Tunable white).

³ Only available with V4.

J. FINISH

FA01 White

FA02 Black Metallic - Textured

FA20 Silver Metallic - Textured

FA27 Wood grain - Light Cherry¹

FA28 Wood grain - Dark Walnut¹

¹ Longer than normal lead times, consult factory.

K. EMERGENCY

E0 Not required

E1 Emergency system - Integral



E3 Emergency generated circuit - Remote¹

¹ A drawing will be required at time of ordering to determine the required number and location of the emergency sections or generator circuits. Not available in 347V. Available upon request, consult factory for details.



BOGGLE™ - CEILING

DIMENSIONAL DIAGRAMS



| FIXTURE LENGTH | |
|----------------|--------------------|
| 2ft | 24.25" [616mm] |
| 4ft | 48.25" [1225.6mm] |
| 6ft | 72.25" [1835.2mm] |
| 8ft | 96.25" [2444.8mm] |
| 10ft | 120.25" [3054.4mm] |
| 12ft | 144.25" [3664mm] |