

# BOX™ - SUSPENDED

Project Name:


Fixture Type:

Fixture Code:

Quantities:



**BOX™ - SUSPENDED**



# BOX™ - SUSPENDED

**BOX** is a powerful downlight series with exceptional performance suitable for high ceiling applications. Equipped with high-efficiency reflectors optimized for beam definition and maximum center beam candela power, BOX delivers up to 12,900 lumens. Constructed of aluminum, the robust cuboid fits well with functionalist architecture. Available in single, double, and quad downlights.

## GENERAL SPECIFICATION

### Body and trim

Steel and aluminum.

### Power cable

Silver braided.

### Drivers

Integral, HPF electronic drivers 120/277V (EU-240V), 0-10V, 10% dimming. The driver is integral to the fixture housing.

### Reported L70 @25°C (77°F)

>55,000 hrs

### Delivered Lumens

Delivered lumens & LPW based on 3000K (min 80 CRI).

### Finish

Powder coated.

### Mechanical

Luminaires mount directly over J box (by others - North America only).

### Sensors

Consult factory regarding sensor compatibility.

### Estimated L70 @25°C (77°F)

>201,000 hrs

### Approvals

Damp Rated.

## MOUNTING & OPTICS



Suspended Direct



Declare

# BOX™ - SUSPENDED

## HOW TO ORDER

### A. LUMINAIRE

**751011** 1, 3218 lms

**751012** 2, 6436 lms

**751014** 4, 12872 lms

### B. CCT

**30** 3000K (min 80 CRI)

**35** 3500K (min 80 CRI)

**40** 4000K (min 80 CRI)

### C. REFLECTOR

**NB** Narrow Beam (14°)

**MB** Medium Beam (22°)

**WB** Wide Beam (38°)

### D. FINISH

**BL** Black

**MS** Silver Metallic

**WH** White

### E. DIMMING

**D1** 0-10V dimming (1%)

**D2** 0-10V Dimming (0.1%)

**DA** DALI dimming (0.1%)

**DL** DALI dimming (1%)

**L1** Lutron L3DA3W Hi-Lume 1%, 3 Wire

# BOX™ - SUSPENDED

## TECHNICAL DATA

### LUMINAIRE

<b>Code</b>	<b>751011</b>	<b>751012</b>	<b>751014</b>
<b>Power (LED)</b>	37W	74W	148W
<b>Heads</b>	1	2	4
<b>Delivered lms</b>	3218	6436	12872
<b>LPW</b>	84	84	84

---

## APPROVALS



DAMP  
LOCATION



IP20

# BOX™ - SUSPENDED

## DIMENSIONAL DIAGRAMS

