

# MACRO QUAD™ - SUSPENDED



Project Name:

Fixture Type:

Fixture Code:

Quantities:

## A. LUMINAIRE

**MCQP1P02** 2ft SQ Direct, 8500 lms

**MCQP1P03** 3ft SQ Direct, 12800lms

**MCQP1P04** 4ft SQ Direct, 17000lms

**MCQP1P05** 5ft SQ Direct, 21300lms

**MCQP1P06** 6ft SQ Direct, 25500lms

**MCQP1P07** 2ft x 4ft Direct, 12800 lms

**MCQP1P08** 3ft x 6ft Direct, 19100 lms

**MCQP2P02** 2ft SQ Direct/Indirect.  
12300lms

**MCQP2P03** 3ft SQ Direct/Indirect,  
18500 lms

**MCQP2P04** 4ft SQ Direct/Indirect,  
24600 lms

**MCQP2P05** 5ft SQ Direct/Indirect,  
30800 lms

**MCQP2P06** 6ft SQ Direct/Indirect,  
36900 lms

**MCQP2P07** 2ft x 4ft Direct/Indirect,  
18500lms

**MCQP2P08** 3ft x 6ft Direct/Indirect,  
27700lms

Consult factory for other sizes.

## B. LMS/FT (DIRECT)

**LPF057** 575 lm/ft <sup>1</sup>

**LPF085** 850 lm/ft <sup>2</sup>

**LPF115** 1150 lm/ft <sup>3</sup>

<sup>1</sup> Based of 50% of total output.

<sup>2</sup> Based on 75% of total output.

<sup>3</sup> 100% of total output.

## C. LUMENS/FT (INDIRECT)

**LPG000** Not required

**LPG025** 250 lm/ft <sup>1</sup>

**LPG037** 375 lm/ft <sup>2</sup>

**LPG050** 500 lm/ft <sup>3</sup>

<sup>1</sup> Based of 50% of total output.

<sup>2</sup> Based on 75% of total output.

<sup>3</sup> 100% of total output.

## D. CRI

**CR80** CRI 80+

## E. CCT (DIRECT)

**CTA30** 3000K

**CTA35** 3500K

**CTA40** 4000K

## F. CCT (INDIRECT)

**CTB00** Not required

**CTB30** 3000K

**CTB35** 3500K

**CTB40** 4000K

## G. UPLIGHT DIFFUSER

**UDO** Not required

**UD1** Clear diffuser

**UD2** Opal diffuser <sup>1</sup>

<sup>1</sup> 10% reduction on indirect lumens.

## H. VOLTAGE

**V1** 120/277V

**V2** 240V <sup>1</sup>

**V3** 347V <sup>2</sup>

**V4** Low Voltage <sup>3</sup>

<sup>1</sup> Not available in North America.

<sup>2</sup> Available with DA01 dimming only.

<sup>3</sup> Only available with DA45 dimming.



# MACRO QUAD™ - SUSPENDED

## I. DIMMING

**DA01** 0-10V Dimming 1.0%  
**DA30** DSI/switchDim <sup>2</sup>

**DA02** 0-10V Dimming 0.1% <sup>1</sup>  
**DA45** PoE <sup>3</sup>

**DA20** DALI Dimming 0.1% <sup>1</sup>

**DA21** DALI Dimming 1.0% <sup>1</sup>

<sup>1</sup> Not available with V3.

<sup>2</sup> Not available in North America.

<sup>3</sup> Only available with V4.

## J. FIXTURE FINISH

**FA01** White

**FA02** Black Metallic - Textured

**FA20** Silver Metallic - Textured

**FA25** Gold Metallic - Textured

**FA27** Wood grain - Light Cherry <sup>1</sup>

**FA28** Wood grain - Dark Walnut <sup>1</sup>

**FA44** Midnight Blue Metallic - Textured

**FA45** Copper Metallic

**FA46** Charcoal Metallic - Textured

**FA47** Bronze Metallic - Textured

**FA52** Champagne Metallic

**FA53** Red Metallic - Textured

<sup>1</sup> Longer lead time may apply, consult factory.

## K. CANOPY FINISH

**CF01** White

**CF02** Black Metallic - Textured

**CF20** Silver Metallic - Textured

**CF25** Gold Metallic - Textured

**CF44** Midnight Blue Metallic - Textured

**CF45** Copper Metallic

**CF46** Charcoal Metallic - Textured

**CF47** Bronze Metallic - Textured

**CF52** Champagne Metallic

**CF53** Red Metallic - Textured

## L. ACOUSTIC PANEL FINISH

**AP00** Not required

**AP04** White

**AP13** Apple Green

**AP22** Blue

**AP11** Light Gray

**AP26** Sesame Gray

**AP27** Black

Consult website to view available panel finishes.

## M. EMERGENCY

**E0** Not required

**E1** Emergency system - Integral <sup>1</sup>

**E2** Emergency system - Remote <sup>2</sup>

<sup>1</sup> Direct illumination only, not available with 347V.

## N. CIRCUITS

**CS1** Single circuit

**CS2** Dual circuit <sup>1</sup>

<sup>1</sup> Supplied with two power cables

## O. CONTROLS


**CO** Not required

**C1** Encelium/Zigbee




# MACRO QUAD™ - SUSPENDED

## DIMENSIONAL DIAGRAMS



# MACRO QUAD™ - SUSPENDED



ISO VIEW