


MICRO RING II™ - VERTICAL SUSPENDED



Project Name:

Fixture Type:

Fixture Code:

Quantities:

A. LUMINAIRE

MRTV2P02 2ft Direct/Indirect, 6800
lms

MRTV2P03 3ft Direct/Indirect, 10200
lms

MRTV2P04 4ft Direct/Indirect, 13800
lms

MRTV2P05 5ft Direct/Indirect, 17300
lms

MRTV2P06 6ft Direct/Indirect, 20400
lms

B. EFFICIENCY

EFF1 Standard efficiency ¹

EFF2 High efficiency ²

¹ Standard efficiency refers to Standard efficacy.

² High efficiency refers to High efficacy. This option is 52% more efficient than Standard efficiency.

C. LUMENS/FT

LPF017 175 lm/ft ^{1 2 3}

LPF026 260 lm/ft ^{1 2 4}

LPF035 350 lm/ft ^{1 2 5}

LPF052 525 lm/ft ^{2 6}

¹ Standard efficiency is available from 175 lm/ft to 350 lm/ft.

² High efficiency is available from 175 lm/ft to 525 lm/ft.

D. CRI

CR80 CRI 80+

CR90 CRI 90+

E. CCT

CTA27 2700K

CTA30 3000K

CTA35 3500K

CTA40 4000K

¹ Longer than normal lead times may apply, consult factory for details.

F. VOLTAGE

V1 120/277V

V2 240V ¹

V3 347V ²

V4 Low Voltage ³

¹ Not available in North America.

² Available with DA01 dimming only.

³ V4 available with DA45 dimming only.

G. DIMMING

DA01 0-10V Dimming 1.0%

DA20 DALI Dimming 0.1% ¹

DA21 DALI Dimming 1.0% ¹

DA45 PoE ²

¹ Not available with MRTV2P05 or MRTV2P06.

² Available with V4 only.

H. SUSPENSION

SS1 Vertical, Remote driver

SS3 Vertical, Driver Integral to Canopy ¹

SS6 Power Over Suspension, Vertical
Remote driver ²

¹ Available up to 4ft diameter when using DALI dimming (DA20 & DA21).

² Available up to 5ft diameter when using DA01 and up to 4ft diameter when using DA20 or DA21.



MICRO RING II™ - VERTICAL SUSPENDED

I. FIXTURE FINISH

FA01 White	FA02 Black Metallic - Textured	FA20 Silver Metallic - Textured	FA25 Gold Metallic - Textured
FA27 Wood grain - Light Cherry ¹	FA28 Wood grain - Dark Walnut ¹	FA44 Midnight Blue Metallic - Textured	FA45 Copper Metallic
FA46 Charcoal Metallic - Textured	FA47 Bronze Metallic - Textured	FA52 Champagne Metallic	FA53 Red Metallic - Textured

¹ Wood grain finishes are not available for the 2ft diameter. Longer than normal lead times may apply, consult factory.

J. CANOPY FINISH

CF01 White	CF02 Black Metallic - Textured	CF20 Silver Metallic - Textured	CF25 Gold Metallic - Textured
CF44 Midnight Blue Metallic - Textured	CF45 Copper Metallic	CF46 Charcoal Metallic - Textured	CF47 Bronze Metallic - Textured
CF52 Champagne Metallic	CF53 Red Metallic - Textured		


K. EMERGENCY

E0 Not required	E2 Emergency system - Remote
------------------------	-------------------------------------


MICRO RING II™ - VERTICAL SUSPENDED

DIMENSIONAL DIAGRAMS

SS1 VERTICAL - REMOTE DRIVER



SS3 VERTICAL - INTEGRAL DRIVER



SS6 VERTICAL - REMOTE DRIVER

