

Project Name:

Fixture Code: Quantities:

A. LUMINAIRE

MARP1P04 48" Direct, 4100 lms **MARP2P04** 48" Direct/Indirect, 8200 lms

MARP1P05 60" Direct, 5100 lms **MARP2P05** 60" Direct/Indirect, 10200 lms **MARP1P06** 72" Direct, 6100 lms **MARP2P06** 72" Direct/Indirect, 12200 lms MARP1P07 84" Direct, 7200 lms

MARP2P07 84" Direct/Indirect, 14400 lms

Fixture Type:

Lumens shown are at max value.

B. LUMENS (DIRECT)

LPF015 150 lms/ft ¹

LPF022 225 lms/ft ²

LPF030 300 lms/ft ³

Values shown are nominal.

- ¹ Based on 50% of total output
- ² Based on 75% of total output
- 3 100% of total output

C. LUMENS (INDIRECT)

LPG000 Not required

LPG015 150 lms/ft ¹

LPG022 225 lms/ft ²

LPG030 300 lms/ft ³

Values shown are nominal.

- ¹ Based on 50% of total output
- ² Based on 75% of total output
- ³ 100% of total output

D. CRI

CR80 CRI 80+ **CR90** CRI 90+

E. CCT (DIRECT)

F. CCT (INDIRECT)

CTB00 Not required **CTB30** 3000K **CTB35** 3500K **CTB40** 4000K

G. VOLTAGE

V1 120/277V **V2** 240V ¹

H. SUSPENSION

SS1 Vertical, Remote driver SS2 Hub, Remote driver SS3 Vertical, Driver Integral to Canopy SS4 Hub, Driver Integral to Canopy SS4 Hub, Driver Integral to Canopy SS3 Vertical, Driver Integral to Canopy SS4 V

¹ Not available in North America

¹ Not available with MARP1P06 and MARP1P07

² Not available with MARP2P06 and MARP2P07

I. DIMMING

DA01 0-10V Dimming 1.0% **DA02** 0-10V Dimming 0.1% ¹ **DA20** DALI Dimming 0.1% ¹ **DA21** DALI Dimming 1.0% ¹

DA30 DSI/switchDim²

J. FIXTURE FINISH

FA56 White - Gloss **FA01** White **FA02** Black Metallic - Textured **FA20** Silver Metallic - Textured

FA25 Gold Metallic - Textured FA42 Polished Aluminum - Mirror finish FA44 Midnight Blue Metallic - Textured FA45 Copper Metallic

FA46 Charcoal Metallic - Textured FA52 Champagne Metallic - Textured FA53 Red Metallic - Textured

K. CANOPY FINISH

CF56 White - GlossCF01 WhiteCF02 Black Metallic - TexturedCF20 Silver Metallic - TexturedCF25 Gold Metallic - TexturedCF44 Midnight Blue Metallic - TexturedCF45 Copper MetallicCF46 Charcoal Metallic - Textured

CF47 Bronze Metallic - Textured CF52 Champagne Metallic CF53 Red Metallic - Textured

L. ACOUSTIC PANEL FINISH

AP00 Not required AP04 White AP13 Apple Green AP22 Blue

AP11 Light Gray AP26 Sesame Gray AP27 Black

For accompanying non-illuminating acoustic panels see our Acoustic Circles, Quads and Triangles spec pages.

M. EMERGENCY

EO Not required **E2** Emergency system - Remote

N. CIRCUIT


CS1 Single circuit **CS2** Dual circuit

¹ Not available with MARP2P05, MARP2P06 and MARP2P07.


² Not available in North America.

DIMENSIONAL DIAGRAMS


SS1 VERTICAL - REMOTE DRIVER




SS2 HUB - REMOTE DRIVER





SS3 VERTICAL - INTEGRAL DRIVER




SS4 HUB - INTEGRAL DRIVER









ISOMETRIC VIEW - 4 Suspension Points 72" (1829mm) 84" (2134mm)