

Project Name: Fixture Type:

Fixture Code: Quantities:

A. LUMINAIRE

MARP1P04 48" Direct, 4100 lms **MARP2P04** 48" Direct/Indirect, 8200 lms

MARP1P05 60" Direct, 5100 lms **MARP2P05** 60" Direct/Indirect, 10200 lms **MARP1P06** 72" Direct, 6100 lms **MARP2P06** 72" Direct/Indirect, 12200 lms MARP1P07 84" Direct, 7200 lms MARP2P07 84" Direct/Indirect, 14400 lms

Lumens shown are at max value.

B. LUMENS (DIRECT)

LPF015 150 lms/ft ¹

LPF022 225 lms/ft ²

LPF030 300 lms/ft ³

C. LUMENS (INDIRECT)

LPG000 Not required

LPG015 150 lms/ft ¹

LPG022 225 lms/ft ²

LPG030 300 lms/ft ³

Values shown are nominal.

- ¹ Based on 50% of total output
- ² Based on 75% of total output

D. CRI

CR80 CRI 80+ **CR90** CRI 90+

E. CCT (DIRECT)

CTA27 2700K **CTA30** 3000K **CTA35** 3500K **CTA40** 4000K

F. CCT (INDIRECT)

 CTB00 Not required
 CTB27 2700K
 CTB30 3000K
 CTB35 3500K

CTB40 4000K

G. VOLTAGE

V1 120/277V **V2** 240V ¹

H. SUSPENSION

SS1 Vertical, Remote driver SS2 Hub, Remote driver SS3 Vertical, Driver Integral to Canopy SS4 Hub, Driver Integral to Canopy SS4 Hub, Driver Integral to Canopy SS3 Vertical, Driver Integral to Canopy SS4 V

¹ Based on 50% of total output

² Based on 75% of total output

^{3 100%} of total output

³ 100% of total output

¹ Not available in North America

¹ Not available with MARP1P06 and MARP1P07

² Not available with MARP2P06 and MARP2P07

I. DIMMING

DA01 0-10V Dimming 1.0% **DA02** 0-10V Dimming 0.1% ¹ DA20 DALI Dimming 0.1% 1 DA21 DALI Dimming 1.0% 1

DA30 DSI/switchDim²

J. FIXTURE FINISH

FA56 White - Gloss FA01 White FA02 Black Metallic - Textured FA20 Silver Metallic - Textured FA25 Gold Metallic - Textured FA42 Polished Aluminum - Mirror finish FA44 Midnight Blue Metallic - Textured FA45 Copper Metallic **FA53** Red Metallic - Textured

FA46 Charcoal Metallic - Textured FA47 Bronze Metallic - Textured FA52 Champagne Metallic

K. CANOPY FINISH

CF56 White - Gloss CF01 White CF02 Black Metallic - Textured CF20 Silver Metallic - Textured CF46 Charcoal Metallic - Textured CF25 Gold Metallic - Textured CF44 Midnight Blue Metallic - Textured **CF45** Copper Metallic CF47 Bronze Metallic - Textured CF52 Champagne Metallic CF53 Red Metallic - Textured

L. EMERGENCY

EO Not required **E2** Emergency system - Remote

M. CIRCUIT


CS1 Single circuit CS2 Dual circuit

¹ Not available with MARP2P05, MARP2P06 and MARP2P07.

² Not available in North America.


DIMENSIONAL DIAGRAMS

SS1 Vertical - Remote Driver




Hub - Remote Driver


SS₂




SS2 Hub - Remote Driver



SS4 Hub - Integral Driver





ISOMETRIC VIEW - 3 Suspension Points 48" [1219mm] 60" [1524mm] ISOMETRIC VIEW - 4 Suspension Points 72" [1829mm] 84" [2134mm]