

# MICRO RING DE™ - SUSPENDED



Project Name:

Fixture Type:

Fixture Code:

Quantities:

## A. LUMINAIRE

**MRHP2P02** 26", 3700 lms

**MRHP2P03** 36", 5100 lms

**MRHP2P04** 48", 6500 lms

**MRHP2P05** 60", 8600 lms

**MRHP2P06** 72", 10200 lms

**MRHP2P07** 84", 11900 lms

**MRHP2P08** 96", 13900 lms

**MRHP2P12** 144", 21000 lms

## B. LUMENS/FT

**LPF027** 275 lm/ft<sup>1</sup>

**LPF041** 410 lm/ft<sup>2</sup>

**LPF055** 550 lm/ft<sup>3</sup>

<sup>1</sup> Based on 50% of total output.

<sup>2</sup> Based on 75% of total output.

<sup>3</sup> 100% of total output.

## C. CRI

**CR80** CRI 80+

**CR90** CRI 90+

## D. CCT

**CTA27** 2700K

**CTA30** 3000K

**CTA35** 3500K

**CTA40** 4000K

## E. VOLTAGE

**V1** 120/277V

**V2** 240V<sup>1</sup>

**V3** 347V<sup>2</sup>

**V4** Low Voltage<sup>3</sup>

<sup>1</sup> Not available in North America.

<sup>2</sup> Only available with DA01 dimming.

<sup>3</sup> Only available with DA45 dimming.

## F. DIMMING (REMOTE)

**DA01** 0-10V Dimming 1.0%

**DA20** DALI Dimming 0.1%<sup>1 2</sup>

**DA21** DALI Dimming 1.0%<sup>1 2</sup>

**DA45** PoE<sup>3</sup>

<sup>1</sup> Not available with 72" dia. or larger.

<sup>2</sup> When used in conjunction with MREP2P04 or MREP2P05, SS1 suspension only can be used.

<sup>3</sup> Only available with V4

## G. SUSPENSION

**SS1** Vertical, Remote driver<sup>1</sup>

**SS2** Hub, Remote driver<sup>2</sup>

**SS3** Vertical, Driver Integral to Canopy<sup>3</sup>

**SS4** Hub, Driver Integral to Canopy<sup>3</sup>

**SS6** POS, Vertical, Remote driver

**SS7** POS, Hub, Remote driver

**SS9** POS, Hub, Driver Integral to Canopy

<sup>1</sup> 2 canopies required for 96" and 144" diameters.

<sup>2</sup> Available up to 84" diameter only.

<sup>3</sup> Available up to 72" diameter only.

## H. FIXTURE FINISH

**FA01** White

**FA02** Black Metallic Textured

**FA20** Silver Metallic Textured

**FA25** Gold Metallic - Textured

**FA44** Midnight Blue Metallic Textured

**FA45** Copper Metallic

**FA46** Charcoal Metallic Textured

**FA47** Bronze Metallic Textured

**FA52** Champagne Metallic

**FA53** Red Metallic Textured



# MICRO RING DE™ - SUSPENDED

## I. CANOPY FINISH

**CF01** White

**CF44** Midnight Blue Metallic Textured

**CF52** Champagne Metallic

**CF02** Black Metallic Textured

**CF45** Copper Metallic

**CF53** Red Metallic Textured

**CF20** Silver Metallic Textured

**CF46** Charcoal Metallic Textured

**CF25** Gold Metallic - Textured

**CF47** Bronze Metallic Textured

## J. ACOUSTIC PANEL COLOR

**AP00** Not required

**AP11** Light Gray

**AP04** White

**AP26** Sesame Gray

**AP13** Apple Green

**AP27** Black

**AP33** Deep Sky Blue

---

Available up to 48" in diameter, larger sizes available with visible seam, consult factory. Other colors available, consult factory.

## K. EMERGENCY

**E0** Not required

**E2** Emergency system - Remote




# MICRO RING DE™ - SUSPENDED

## DIMENSIONAL DIAGRAMS

### Power Cable Suspension


#### SS1

Vertical - Remote Driver




#### SS3

Vertical - Integral Driver




#### SS2

Hub - Remote Driver



#### SS4

Vertical - Integral Driver




# MICRO RING DE™ - SUSPENDED

## Power Over Suspension


### SS6

Vertical - Remote Driver



### SS9

Hub - Integral Driver



### SS7

Hub - Remote Driver

