

0000H KURL™ - SUSPENDED



Project Name:

Fixture Type:

Fixture Code:

Quantities:

A. LUMINAIRE

HLKP1P01 18" Radius, 120° Arc Direct	HLKP1P02 30" Radius, 120° Arc Direct	HLKP1P03 42" Radius, 120° Arc Direct	HLKP1P04 18" Radius, 240° Arc Direct
HLKP1P05 30" Radius, 240° Arc Direct	HLKP1P06 42" Radius, 240° Arc Direct	HLKP2P01 18" Radius, 120° Arc Direct/Indirect	HLKP2P02 30" Radius, 120° Arc Direct/Indirect
HLKP2P03 42" Radius, 120° Arc Direct/Indirect	HLKP2P04 18" Radius, 240° Arc Direct/Indirect	HLKP2P05 30" Radius, 240° Arc Direct/Indirect	HLKP2P06 42" Radius, 240° Arc Direct/Indirect

All data shown based on max values and white body with white louver.
Longer than normal lead-times may apply, consult factory.

B. LOUVERS

LV2 Black	LV3 White	LV4 Satin Chrome	LV6 Satin Gold
LV9 Satin Champagne			

C. LUMENS (DIRECT)

LPF020 200 lm/ft	LPF030 300 lm/ft	LPF040 400 lm/ft	LPF050 500 lm/ft
LPF070 700 lm/ft	LPF090 900 lm/ft		

Lumens/ft are determined by the color of the Louver. Consult website for available lumens/ft based on selected louver.

D. LUMENS (INDIRECT)

LPG000 Not required	LPG030 300 lm/ft	LPG050 500 lm/ft	LPG070 700 lm/ft
LPG090 900 lm/ft	LPG110 1100 lm/ft		

E. CRI

CR80 CRI 80+	CR90 CRI 90+
---------------------	---------------------

F. CCT

CTA30 3000K	CTA35 3500K	CTA40 4000K
--------------------	--------------------	--------------------

G. UPPER DIFFUSER

UD0 Not required	UD2 Opal diffuser
-------------------------	--------------------------

H. VOLTAGE

V1 120/277V	V2 240V ¹	V3 347V ²
--------------------	-----------------------------	-----------------------------

¹ Not available in North America.

² Only available with DA01.

I. DIMMING (REMOTE ONLY)

DA01 0-10V Dimming 1.0%	DA02 0-10V Dimming 0.1% ¹	DA20 DALI Dimming 0.1% ¹	DA21 DALI Dimming 1.0% ¹
DA30 DSI/switchDim ²			

All drivers are remote only.

¹ Not available with V3.

² Not available in North America.



0000H KURL™ - SUSPENDED

J. SUSPENSION

SS1 Vertical, Remote driver

¹ Not available with HPNP2P07.

K. FIXTURE FINISH

FA01 White

FA02 Black Metallic - Textured

FA20 Silver Metallic - Textured

FA25 Gold Metallic - Textured

FA27 Wood grain - Light Cherry ¹

FA28 Wood grain - Dark Walnut ¹

FA44 Midnight Blue Metallic - Textured

FA45 Copper Metallic

FA46 Charcoal Metallic - Textured

FA47 Bronze Metallic - Textured

FA52 Champagne Metallic

FA53 Red Metallic - Textured

¹ Longer than normal lead times may apply, consult factory.

L. CANOPY FINISH

CF01 White

CF02 Black Metallic - Textured

CF20 Silver Metallic - Textured

CF25 Gold Metallic - Textured

CF44 Midnight Blue Metallic - Textured

CF45 Copper Metallic

CF46 Charcoal Metallic - Textured

CF47 Bronze Metallic - Textured

CF52 Champagne Metallic

CF53 Red Metallic - Textured

M. EMERGENCY

E0 Not required

E2 Emergency system - Remote

N. CIRCUIT

CS1 Single circuit

CS2 Dual circuit

O. CONTROLS

C0 Not required

C1 Encelium/Zigbee




0000H KURL™ - SUSPENDED


DIMENSIONAL DIAGRAMS

0000H Kurl


18" Radius



30" Radius




42" Radius




0000H KURL™ - SUSPENDED

0000H Kurl

18" Radius



30" Radius



42" Radius

