

# POLO™ - SUSPENDED



Project Name:

Fixture Type:

Fixture Code:

Quantities:

## A. LUMINAIRE

**PLPD1P02** 24", 8000 lms

**PLPD1P03** 36", 12000 lms

**PLPD1P04** 48", 16000 lms

**PLPD1P05** 60", 22000 lms

All data shown at max output and nominal values.

## B. LUMENS/FT

**LFA050** 500 lm/ft

**LFA065** 650 lm/ft

**LFA100** 1000 lm/ft

**LFA130** 1300 lm/ft

## C. CRI

**CR80** CRI 80+

## D. CCT

**CTA30** 3000K

**CTA35** 3500K

**CTA40** 4000K

## E. VOLTAGE

**V1** 120/277V

**V2** 240V<sup>1</sup>

**V3** 347V<sup>2</sup>

**V4** Low Voltage<sup>3</sup>

<sup>1</sup> Not available in North America.

<sup>2</sup> Available with DA01 dimming only.

<sup>3</sup> To be used with DA45 only.

## F. DIMMING

**DA01** 0-10V Dimming 1.0%

**DA02** 0-10V Dimming 0.1%

**DA20** DALI Dimming 0.1%

**DA21** DALI Dimming 1.0%

**DA30** DSI/switchDim<sup>1</sup>

**DA45** PoE<sup>2</sup>

<sup>1</sup> Not available in North America.

<sup>2</sup> Must be used with V4 only.

## G. SUSPENSION

**SS1** Vertical, Remote driver

**SS2** Hub, Remote driver

**SS3** Vertical, Driver Integral to Canopy

**SS4** Hub, Driver Integral to Canopy

## H. EMERGENCY

**E0** Not required

**E2** Emergency system - Remote

Integral emergency not available.

## I. ACOUSTIC PANEL COLOR

**AP00** Not required

**AP04** White

**AP13** Apple Green

**AP22** Blue

**AP11** Light Gray

**AP26** Sesame Gray

**AP27** Black

60" available with visible seams, consult factory.


Other finishes available. Consult factory.




# POLO™ - SUSPENDED

## DIMENSIONAL DIAGRAMS

SS1 VERTICAL, REMOTE DRIVER



SS3 VERTICAL - INTEGRAL DRIVER



**Canopy size: 11" (280MM) DIA:**

- PLPD1P02 (LFA050,LFA065,LFA100,LFA130)
- PLPD1P03 (LFA050,LFA065,LFA100,LFA130)
- PLPD1P04 (LFA050,LFA065)
- PLPD1P05 (LFA050,LFA065)


**13.4" (340MM) DIA:**

- PLPD1P04 (LFA100,LFA130)


**15.4" (391MM) DIA:**

- PLPD1P05 (LFA100,LFA130)

SS2 HUB - REMOTE DRIVER



SS4 HUB - INTEGRAL DRIVER



**Canopy size: 11" (280MM) DIA:**

- PLPD1P02 (LFA050,LFA065,LFA100,LFA130)
- PLPD1P03 (LFA050,LFA065,LFA100,LFA130)
- PLPD1P04 (LFA050,LFA065)
- PLPD1P05 (LFA050,LFA065)



**13.4" (340MM) DIA:**

- PLPD1P04 (LFA100,LFA130)

**15.4" (391MM) DIA:**

- PLPD1P05 (LFA100,LFA130)

**POLO™ - SUSPENDED**



ISOMETRIC VIEW

CODE	DIAMETER (A)	DIAMETER (B)	WIDTH
PLPD1P02	24.5" (622mm)	15.5" (394mm)	4.5" (114mm)
PLPD1P03	36.6" (930mm)	26.9" (683mm)	5" (127mm)
PLPD1P04	48.7" (1237mm)	38.7" (983mm)	5" (127mm)
PLPD1P05	61.3" (1556mm)	51" (1295mm)	5" (127mm)