

PUZZLE™ - SUSPENDED



Project Name:

Fixture Type:

Fixture Code:

Quantities:

A. CHOOSE SHAPE AND SIZE

Select from one of the following 5 shapes. Three sizes per Shape, consult dimensional diagrams for actual sizes.

SHAPE "A"



PULP1P01 A1, Direct, 3200 lms

PULP1P02 A2, Direct, 5100 lms

PULP1P03 A3, Direct, 7000 lms

PULP2P01 A1, Direct/Indirect, 6700 lms

PULP2P02 A2 Direct/Indirect, 10300 lms

PULP2P03 A3 Direct/Indirect, 14100 lms

SHAPE "B"



PULP1P04 B1 Direct, 3000 lms

PULP1P05 B2 Direct, 4800 lms

PULP1P06 B3 Direct, 6600 lms

PULP2P04 B1, Direct/Indirect, 5700 lms

PULP2P05 B2, Direct/Indirect, 9500 lms

PULP2P06 B3 Direct/Indirect, 13400 lms

SHAPE "C"



PULP1P07 C1 Direct, 3000 lms

PULP1P08 C2 Direct, 4800 lms

PULP1P09 C3 Direct, 6600 lms

PULP2P07 C1 Direct/Indirect, 6300 lms

PULP2P08 C2 Direct/Indirect, 9500 lms

PULP2P09 C3 Direct/Indirect, 13400 lms

SHAPE "D"



PULP1P10 D1 Direct, 3200 lms

PULP1P11 D2 Direct, 5000 lms

PULP1P12 D3 Direct, 7000 lms

PULP2P10 D1 Direct/Indirect, 6700 lms

PULP2P11 D2 Direct/Indirect, 10300 lms

PULP2P12 D3 Direct/Indirect, 14100 lms

SHAPE "E"



PULP1P13 E1 Direct, 3000 lms

PULP1P14 E2 Direct, 5000 lms

PULP1P15 E3 Direct, 7000 lms

PULP2P13 E1, Direct/Indirect, 6300 lms

PULP2P14 E2 Direct/Indirect, 10300 lms

PULP2P15 E3 Direct/Indirect, 14100 lms



PUZZLE™ - SUSPENDED

B. LUMENS (DIRECT)

LPF017 175 lm/ft¹

LPF026 265 lm/ft²

LPF035 350 lm/ft³

¹ Based of 50% of total output.

² Based on 75% of total output.

³ 100% of total output.

C. LUMEN (INDIRECT)

LPG000 Not required

LPG017 175 lm/ft¹

LPG026 265 lm/ft²

LPG035 350 lm/ft³

¹ Based of 50% of total output.

² Based on 75% of total output.

³ 100% of total output.

D. CRI

CR80 CRI 80+

CR90 CRI 90+

E. CCT (DIRECT)

CTA27 2700K

CTA30 3000K

CTA35 3500K

CTA40 4000K

F. CCT (INDIRECT)

CTB00 Not required

CTB27 2700K

CTB30 3000K

CTB35 3500K

CTB40 4000K

G. VOLTAGE

V1 120/277V

V2 240V¹

V3 347V²

¹ Not available in North America.

² Available with DA01 only.

H. DIMMING

DA01 0-10V Dimming 1.0%

DA02 0-10V Dimming 0.1%¹

DA20 DALI Dimming 0.1%¹

DA21 DALI Dimming 1.0%¹

¹ Remote, not available with V3.

I. SUSPENSION

SS1 Vertical, Remote driver

SS3 Vertical, Driver Integral to Canopy¹

¹ Available with DA01 only.

J. FINISH

FA01 White

FA02 Black Metallic - Textured

FA20 Silver Metallic - Textured

FA25 Gold Metallic - Textured

FA44 Midnight Blue Metallic - Textured

FA45 Copper Metallic

FA46 Charcoal Metallic - Textured

FA47 Bronze Metallic - Textured

FA52 Champagne Metallic

FA53 Red Metallic - Textured

K. CANOPY FINISH

CF01 White

CF02 Black Metallic - Textured

CF20 Silver Metallic - Textured

CF25 Gold Metallic - Textured

CF44 Midnight Blue Metallic - Textured

CF45 Copper Metallic

CF46 Charcoal Metallic - Textured

CF47 Bronze Metallic - Textured

CF52 Champagne Metallic

CF53 Red Metallic - Textured



PUZZLE™ - SUSPENDED

L. EMERGENCY

E0 Not required

E2 Emergency system - Remote

M. CIRCUITS

CS1 Single circuit


CS2 Dual circuit




PUZZLE™ - SUSPENDED

DIMENSIONAL DIAGRAMS

A1, A2, A3




B1, B2, B3




PUZZLE™ - SUSPENDED


C1, C2, C3



C1




C2




C3


D1, D2, D3



D1




D2




D3

PUZZLE™ - SUSPENDED

E1, E2, E3



S1 - Remote Driver



PUZZLE™ - SUSPENDED

S3 - Integral Driver

