

REUL™ - MODERN CLASSICS EXTERIOR

Project Name:


Fixture Type:

Fixture Code:

Quantities:



REUL™ - MODERN CLASSICS EXTERIOR



REUL™ - MODERN CLASSICS EXTERIOR

REUL is a facade light designed with a robust triangular aesthetic and engineered with exceptional power in both light output and optical control. 3 beam options are available ranging from 10° to 71°, for either direct or indirect light emission. An internal reflector ensures efficient light distribution allowing Reul to be mounted at higher elevations for wayfinding or to accent facade features.

GENERAL SPECIFICATION

Housing

Die-cast and extruded aluminum.

Lens

Clear glass.

Reflector

High purity aluminum, semi-specular finish.

Drivers

HPF electronic drivers, 120/277V.

Mechanical

Mounts directly over a junction box (by others). Mounting hardware (by others).

External Screws

Stainless steel.

Gaskets

One piece silicone.

Finish

Double powder coated.

Minimum Starting Temperature

-20°C (-30°C for LEDs).

Delivered Lumens

Delivered lumens & LPW based on 3000K (min 80 CRI).

OPTICS & FEATURES



Ext-Wall Downlight

Ext-Wall Up/Down

REUL™ - MODERN CLASSICS EXTERIOR

APPROVALS



REUL™ - MODERN CLASSICS EXTERIOR

DIMENSIONAL DIAGRAMS

