

# SENTIS™ EQ & PM - WALL SURFACE

Project Name:

Fixture Type:

Fixture Code:

Quantities:



# SENTIS™ EQ & PM - WALL SURFACE

## GENERAL SPECIFICATION

### Housing

Die-formed steel.

### Perforated accents

Steel, finished as specified.

### Front Lens

UV stabilized polycarbonate with vertical ribs.

### Upper and lower dust covers

Opal polycarbonate.

### Mechanical

Mounts directly to a standard electrical junction box (by others - North America only). Additional mounting points provided. Mounting hardware (by others).

### Horizontal bars

Die-cast zinc.

### Finish

Powder coated paint or plated.

### Rear Side (Halo) Lens

Extruded opal acrylic.


### Drivers

HPF electronic, 120-277V (EU-240V). 0-10V, 1% dimming standard.

### Delivered Lumens

Delivered lumens & LPW based on 3000K (min 80 CRI).

## OPTICS & FEATURES



Wall Direct

# SENTIS™ EQ & PM - WALL SURFACE

## HOW TO ORDER

### A. LUMINAIRE

**326110** 326110

**326112** 326112

**326114** 326114

**326116** 326116

**326118** 326118

### B. CCT

**30** 3000K (min 80 CRI)

**35** 3500K (min 80 CRI)

**40** 4000K (min 80 CRI)

### C. FASCIA

**EQ** Style EQ

**PM** Style PM

### D. FINISH

**WH** White

**MS** Silver Metallic

**MB** Metallic Bronze

**SN** Satin Nickel

**AB** Antique Brass

**PB** Polished Brass

**SB** Satin Brass

**PC** Polished Chrome

**OT** Other painted finish (RAL number required)

### E. OPTIONS

**PM** Perforated Mesh Accents (PM only)

**VB** Vertical Bar (PM only)



# SENTIS™ EQ & PM - WALL SURFACE

## TECHNICAL DATA

### LUMINAIRE

<b>Code</b>	<b>326110</b>	<b>326112</b>	<b>326114</b>	<b>326116</b>	<b>326118</b>
<b>Power (LED)</b>	14W	20W	28W	47W	59W
<b>Delivered lms</b>	1311	1865	2592	4333	5523
<b>LPW</b>	93	95	94	92	94
<b>Type (A)</b>	14"	18"	24"		
<b>Type (B)</b>				36"	48"

---

## APPROVALS

ADA



CE



IP20