

SENTIS™ - WALL

Project Name:


Fixture Type:

Fixture Code:

Quantities:



SENTIS™ - WALL



SENTIS™ - WALL

SENTIS is a robustly designed transitional-style wall sconce, ideally suited for high-traffic zones. Available as a minimalist style with an exposed diffuser or with a decorative and protective grill in 8 finishes.

GENERAL SPECIFICATION

Housing

Die-Formed steel.

Perforated accents

Steel, finished as specified.

Mechanical

Mounts directly to a standard electrical junction box (by others - North America only). Additional mounting points provided. Mounting hardware (by others).

Sensors

Consult factory regarding sensor compatibility.

Rear side (halo) diffuser

Extruded opal acrylic.

Delivered Lumens

Delivered lumens & LPW based on 3000K (min 80 CRI).

Horizontal bars

Die-cast zinc.

Finish

Powder coated paint or plated.

Drivers

HPF electronic, 120-277V (EU-240V). 0-10V, 1% dimming standard. The driver is integral to the fixture housing.

Front diffuser

UV stabilized polycarbonate with vertical ribs.


Upper and lower dust covers

Opal polycarbonate.


Approvals

Damp location, (Indoor use only).


MOUNTING & OPTICS



Wall Front/Back



General Diffuse



Declare

SENTIS™ - WALL

HOW TO ORDER

A. LUMINAIRE

326100 14", 1311 lms

326108 48", 5523 lms

326102 18", 1865 lms

326104 24", 2592 lms

326106 36", 4333 lms

B. CCT

30 3000K (min 80 CRI)

35 3500K (min 80 CRI)

40 4000K (min 80 CRI)

C. FASCIA

OP Style OP

TQ Style TQ

D. FINISH

WH White

MS Silver Metallic Textured

BM Bronze Metallic Textured

E. OPTIONS

PM Perforated Mesh Accents (TQ only)

VB Vertical Bar (OP & TQ only)



SENTIS™ - WALL

TECHNICAL DATA

LUMINAIRE

Code	326100	326102	326104	326106	326108
Power (LED)	14W	20W	28W	47W	59W
Delivered lms	1311	1865	2592	4333	5523
LPW	93	95	94	92	94
Type (A)	14"	18"	24"		
Type (B)				36"	48"

FINISH



White



Silver Metallic Textured



Bronze Metallic Textured

APPROVALS

ADA



CE




IP20




SENTIS™ - WALL

DIMENSIONAL DIAGRAMS

Style OP






Style OP




SENTIS™ - WALL


Style TQ



Type (A)





100mm/3.9"



191mm/7.5"

Style TQ



Type (B)