

STARBURST TRI™ - SUSPENDED



Project Name:

Fixture Type:

Fixture Code:

Quantities:

A. LUMINAIRE

STRT1P01 Direct, 7700 lms, 54 LPW

STRT2P01 Direct/Indirect, 12800 lms, 54 LPW

B. CRI

CR90 CRI 90+

C. CCT

CTA30 3000K

CTA35 3500K

CTA40 4000K

D. VOLTAGE

V1 120/277V

V2 240V ¹

V3 347V ²

¹ Not available in North America.

² Only available with DA01.

E. DIMMING

DA01 0-10V Dimming 1.0%

DA02 0-10V Dimming 0.1% ¹

DA20 DALI Dimming 0.1% ¹

DA21 DALI Dimming 1.0% ¹

DA30 DSI/switchDim ²

¹ Not available with V3.

² Not available in North America.

F. FINISH

FA01 White

FA02 Black Metallic - Textured

FA20 Silver Metallic - Textured

FA25 Gold Metallic - Textured

FA27 Wood grain - Light Cherry ¹

FA28 Wood grain - Dark Walnut ¹

FA44 Midnight Blue Metallic - Textured

FA45 Copper Metallic

FA46 Charcoal Metallic - Textured

FA47 Bronze Metallic - Textured

FA52 Champagne Metallic

FA53 Red Metallic - Textured

¹ Longer than normal lead times may apply, consult factory.

G. CANOPY FINISH

CF01 White

CF02 Black Metallic - Textured

CF20 Silver Metallic - Textured

CF25 Gold Metallic - Textured

CF44 Midnight Blue Metallic - Textured

CF45 Copper Metallic

CF46 Charcoal Metallic - Textured

CF47 Bronze Metallic - Textured

CF52 Champagne Metallic

CF53 Red Metallic - Textured

H. CIRCUITS

CS1 Single circuit

CS2 Dual circuit

I. EMERGENCY

E0 Not required




E2 Emergency system - Remote



STARBURST TRI™ - SUSPENDED




DIMENSIONAL DIAGRAMS

COLLAPSED







STARBURST TRI™ - SUSPENDED

PARTIAL EXPANSION



STARBURST TRI™ - SUSPENDED

EXPANDED (TRIANGLE)



STARBURST TRI™ - SUSPENDED

HYPER EXPANDED (TRILLIUM)

