TATTO™ - INGROUND EXTERIOR

Project Name:

Fixture Type:

Fixture Code:

Quantities:



© 2026 Beta-Calco Inc. Specifications are subject to change without notice

TATTO™ - INGROUND EXTERIOR

GENERAL SPECIFICATION

Housing
Low copper, die-cast aluminum highly resistant to oxidation.

Lens
10mm/0.39" tempered glass (12mm/0.47" stainless steel version), Type B 15mm/0.59". IK 07 Mechanical resistant 2 Joule.

Bezel
Stainless steel or trimless glass.

Gasket
Silicone.

Finish
Double powder coating polyester high resistant to UV and oxidation.

Reflectors
High purity aluminum.

External screws
A4 stainless steel treated with highly antioxidant water-repellent lubricating solution to ensure easy opening.

Cable entry
M20 cable gland for DIA 6-12mm/0.24-0.47" cables.

Drivers
HPF, electronic for 120-277V. Dimming 0-10V.

Walk over
Static pressure load 500Kg/1100lbs.

Rough-in housing
Thermoplastic.

Mechanical
For in-ground installation in poured concrete.

OPTICS & FEATURES



Ext-Inground

© 2026 Beta-Calco Inc. Specifications are subject to change without notice

TATTO™ - INGROUND EXTERIOR

HOW TO ORDER

A. LUMINAIRE

8107050 8107050
8107052 8107052
8107054 8107054
8107056 8107056
8107070 8107070
8107072 8107072
8107074 8107074
8107076 8107076

B. CCT

30 3000K (min 80 CRI)
40 4000K (min 80 CRI)

C. OPTIONS

AS Anti-Slip Glass
DB Dimming (0-10V, 10%)

D. ROUGH-IN HOUSING (REQUIRED)

RIH1720 Rough-In Housing for Type A - Glass Bezel
RIH1721 Rough-In Housing for Type B - Stainless Steel Bezel

TECHNICAL DATA

LUMINAIRE

Code	8107050	8107052	8107054	8107056	8107070	8107072
Power (LED)	22W	39W	39W	39W	22W	39W
Distibution	Spot 13	Asymmetric 48	10 Spot	71 Flood	Spot 13	Asymmetric 48
Delivered lms	2752	3326	4062	3505	2752	3326
Type	A	A	A	A	B	B


Code	8107074	8107076
Power (LED)	39W	39W
Distibution	10 Spot	71 Flood
Delivered lms	4062	3505
Type	B	B

APPROVALS


© 2026 Beta-Calco Inc. Specifications are subject to change without notice

TATTO™ - INGROUND EXTERIOR

DIMENSIONAL DIAGRAMS



Type A
Glass Bezel



Type B
Stainless Steel
Bezel

© 2026 Beta-Calco Inc. Specifications are subject to change without notice