

# TRILOGY™ - SUSPENDED

Project Name:

Fixture Type:

Fixture Code:

Quantities:



# TRILOGY™ - SUSPENDED

## GENERAL SPECIFICATION

### Body and trim

Aluminium and steel.

### Finish

Gear tray, powder coated gloss white. Trim, powder coated or plated as listed.

### Drivers

HPF electronic, 120/277V (EU-240V). 0-10V, 1% dimming standard.

### Suspension

Three cables.

### Lens

Hand blown, triple ply, satin opal glass.

### Delivered Lumens

Delivered lumens & LPW based on 3000K (min 80 CRI).

## OPTICS & FEATURES



Suspended Direct/Indirect

# TRILOGY™ - SUSPENDED

## HOW TO ORDER

### A. LUMINAIRE

**639810** 639810

### B. CCT

**30** 3000K (min 80 CRI)

**35** 3500K (min 80 CRI)

**40** 4000K (min 80 CRI)

### C. FINISH

**MS** Silver Metallic

**PC** Polished Chrome

**SC** Satin Chrome

**SN** Satin Nickel

**OT** Other painted finish (RAL number required)

**F40** Other Non-RAL painted finish (sample chip required)

OT & BL1 have a one time set-up charge regardless of quantity.

### D. OPTIONS

**HR** Halo Rings

**CB** Cradle Bars

## TECHNICAL DATA

### LUMINAIRE

<b>Code</b>	<b>639810</b>
<b>Power (LED)</b>	21W LED
<b>Delivered lms</b>	1240
<b>LPW</b>	59

## APPROVALS



# TRILOGY™ - SUSPENDED

## DIMENSIONAL DIAGRAMS

