

# WINDSOR™ - WALL SURFACE

Project Name:

Fixture Type:

Fixture Code:

Quantities:



# WINDSOR™ - WALL SURFACE

## GENERAL SPECIFICATION

### Body and trim

Steel and aluminum.

### Lens

Opal acrylic.

### Drivers

HPF electronic, 120-277V (EU-240V), 0-10V, 1% dimming standard.

### Delivered Lumens

Delivered lumens & LPW based on 3000K (min 80 CRI).

### Finish

Back plate, powder coated gloss white. Cover, finished as listed.

### Dust covers

Opal dust cover standard.

### Mechanical

Luminaires mount directly to a junction box. (by others - North America Only).

## OPTICS & FEATURES



Wall Front/Back



# WINDSOR™ - WALL SURFACE

## HOW TO ORDER

### A. LUMINAIRE

**591110** 591110

**591141** 591141

### B. CCT

**30** 3000K (min 80 CRI)

**35** 3500K (min 80 CRI)

**40** 4000K (min 80 CRI)

### C. LENS

**OP** Opal

**FB** Beige faux alabaster

**FW** White faux alabaster

### D. FINISH

**MB** Metallic Bronze

**MS** Silver Metallic

**AB** Antique Brass

**PB** Polished Brass

**SB** Satin Brass

**SN** Satin Nickel

**OT** Other painted finish (RAL number required)

**F40** Other Non-RAL painted finish (sample chip required)

OT & BL1 have a one time set-up charge regardless of quantity.

## TECHNICAL DATA

### LUMINAIRE

Code	<b>591110</b>	<b>591141</b>
Power (LED)	14W	32W
Delivered lms	940	2120
LPW	64	69
Height (A)	13"	24"
Width (B)	8.5"	10"
Weight	9lb	18lb

## APPROVALS



# WINDSOR™ - WALL SURFACE

## DIMENSIONAL DIAGRAMS

