WINDSOR™ - WALL SURFACE

Project Name:

Fixture Type:

Fixture Code:

Quantities:



© 2026 Beta-Calco Inc. Specifications are subject to change without notice

WINDSOR™ - WALL SURFACE

GENERAL SPECIFICATION

Body and trim
Steel and aluminum.

Finish
Back plate, powder coated gloss white. Cover, finished as listed.

Lens
Opal acrylic.


Dust covers
Opal dust cover standard.

Drivers
HPF electronic, 120-277V (EU-240V), 0-10V, 1% dimming standard.

Mechanical
Luminaires mount directly to a junction box. (by others - North America Only).

Delivered Lumens
Delivered lumens & LPW based on 3000K (min 80 CRI).

OPTICS & FEATURES



Wall Front/Back

© 2026 Beta-Calco Inc. Specifications are subject to change without notice

WINDSOR™ - WALL SURFACE

HOW TO ORDER

A. LUMINAIRE

591110 591110

591141 591141

B. CCT

30 3000K (min 80 CRI)

35 3500K (min 80 CRI)

40 4000K (min 80 CRI)

C. LENS

OP Opal

FB Beige faux alabaster

FW White faux alabaster

D. FINISH

MB Metallic Bronze

MS Silver Metallic

AB Antique Brass

PB Polished Brass

SB Satin Brass

SN Satin Nickel

OT Other painted finish (RAL number required)

F40 Other Non-RAL painted finish (sample chip required)

OT & BL1 have a one time set-up charge regardless of quantity.

TECHNICAL DATA

LUMINAIRE

Code	591110	591141
Power (LED)	14W	32W
Delivered lms	940	2120
LPW	64	69
Height (A)	13"	24"
Width (B)	8.5"	10"
Weight	9lb	18lb


APPROVALS

ADA Intertek CE F IP20

© 2026 Beta-Calco Inc. Specifications are subject to change without notice

WINDSOR™ - WALL SURFACE

DIMENSIONAL DIAGRAMS



© 2026 Beta-Calco Inc. Specifications are subject to change without notice