# XACARA CL-R™ - GENERAL ILLUMINATION

**Project Name:**

**Fixture Type:**

**Fixture Code:**

**Quantities:**





© 2026 Beta-Calco Inc. Specifications are subject to change without notice

# XACARA CL-R™ - GENERAL ILLUMINATION










© 2026 Beta-Calco Inc. Specifications are subject to change without notice

# XACARA CL-R™ - GENERAL ILLUMINATION

The raw design delivers primal functionality in light performance and to interior aesthetics. The driver is installed in the junction box which maintains the shallow visible depth of 2.3", making **XACARA** a practical substitute for recessed downlights. Available in beam angles 36°and 70° for general illumination.

## GENERAL SPECIFICATION

**Housing**
Die cast aluminium.

**Protective lens**
Clear glass.

**Drivers**
HPF electronic for 120-277V (EU-240V). 0-10V dimming (10%).

**L70 @25°C (77°F)**
> 60,000 hrs.

**Approvals**
Damp Location (Indoor use only).

**Reflectors**
Medium and wide beam. Highly reflective, specular finish, vacuum plated.

**Finish**
Powder coated, as specified.

**Mounting**
Luminaire mounts to a Jbox (not included, installed by others). Driver mounts to the inside of the Jbox (by others). Mounting hardware included.


**Delivered Lumens**
Delivered lumens & LPW based on 3000K (min 80 CRI).

**Note**

***Photometric testing performed using LM79 procedures.***

## OPTICS & FEATURES


Surface


36°


70°


© 2026 Beta-Calco Inc. Specifications are subject to change without notice

# XACARA CL-R™ - GENERAL ILLUMINATION

## HOW TO ORDER

### A. LUMINAIRE

**501012** 26W, 2085 lms

### B. CCT/CRI

**30A** 3000K (min 80 CRI)
**30B** 3000K (min 90 CRI)
**35A** 3500K (min 80 CRI)
**35B** 3500K (min 90 CRI)
**40A** 4000K (min 80 CRI)
**40B** 4000K (min 90 CRI)

### C. REFLECTORS

**ME** Medium 36°

### D. FINISH

**WH** White
**BL** Black Metallic Textured
**MS** Silver Metallic Textured

## TECHNICAL DATA

### LUMINAIRE

| | |
|---|---|
| **Code** | **501012** |
| **Power (LED)** | 26W |
| **Delivered lms** | 2085 |
| **LPW** | 80 |

## FINISH


White


Black Metallic Textured



Silver Metallic Textured

## APPROVALS


© 2026 Beta-Calco Inc. Specifications are subject to change without notice

# XACARA CL-R™ - GENERAL ILLUMINATION

**DIMENSIONAL DIAGRAMS**





© 2026 Beta-Calco Inc. Specifications are subject to change without notice